

				ED933R6 10 18
				Legrand All Rights Reserved
locian	ed to k	na hai	tor™	8 Legrand
resign				©2018
		• •	0 0	

Dlegrand

Electrical Wiring Systems

60 Woodlawn Street West Hartford, CT 06110 1.877.BY.LEGRAND (295.3472) www.legrand.us

Canada 1.800.723.5175; 905.738.9195 www.legrand.ca



designed to be better.™

A FLOOR BOX WIREMOLD® LOOR BOXES ΕI

AND ANY VISION.



Any way you look at it, Legrand delivers. Wiremold® Floor Boxes offer a choice like no other. Accommodating open space commercial and residential applications for any floor construction, including concrete, raised and wood. Providing power, communications or audio/video (A/V) services or any combination of the three, with 1 to 12 gangs of capacity. A knock-out range from ½ inch to 2 inches gives even more options. Our covers come in powder coat, brushed aluminum, brass and nonmetallic finishes to match any décor. We adhere to UL standards for electrical listing and fire classifications. With many of our models, we offer TopGuard[™] protection that exceeds UL scrub water requirements. Best of all, our installations are contractor-friendly. So you can bring your vision to life. Easily.

CONCRETE FLOOR BOXES

Wiremold concrete floor boxes are available for above-grade and on-grade applications. Above-grade boxes are made from steel or PVC materials. On-grade boxes are made from cast iron, PVC or steel with an approved epoxy-based coating.





800[™] SERIES

- 1 gang of capacity
- Stamped steel or cast iron construction
- Economical, low profile, low density activation solution
- Activations can be flush or pedestal type



880[™] SERIES

- 1 gang of capacity
- Stamped steel or cast iron construction
- Low density solution
- Brushed brass, brushed aluminum and nonmetallic activations



RATCHET-PRO[™] SERIES

- 1 gang to 2 gangs of capacity
- Round floor box available in nonmetallic, steel and nonmetallic combination in standard and powder coated epoxy versions
- Accepts up to 2" trade size conduit feed
- Ratchet adjusting ring makes installation easy – no gluing or mechanical fasteners necessary
- Depth markings on exterior of the box and the nonmetallic material make post pour cut off adjustment quick and easy



880MP2 MODULINK[™] SERIES

- Allows a 1-gang box to be turned into a 2- or 3-gang box
- 2" trade size conduit feed with reducers allowing to go down to ¾" trade size conduit feed
- Ratchet adjusting ring makes installation easy – no gluing or mechanical fasteners necessary
- Depth markings on exterior of the box and the nonmetallic material make post pour cut off adjustment quick and easy



OMNIBOX[™] SERIES

- 1, 2 and 3 gangs of capacity
- Stamped-steel and cast iron constructions
- Activations can be flush for carpet and tile
- Fully adjustable box before and after concrete pour lowers installation costs

Dlegrand[®]



RFB2[™] SERIES

- 2 gangs of capacity
- Available in steel, shallow steel and lightweight epoxy coated slab-on-grade versions
- Floor Port[™] Activation Covers available
- Available for polished concrete, terrazzo, carpet, tile and wood floors



RFB2E[™] SERIES

- 2 gangs of capacity
- Available in steel, shallow steel and lightweight epoxy coated slab-on-grade versions
- Accepts proprietary 2" trade size conduit feed (2HUB)
- Accepts Evolution[™] Series Poke-Thru Covers
- Available for polished concrete, terrazzo, carpet and tile floors



RFB4[™] SERIES

- 4 gangs of capacity
- Cast iron, steel and shallow steel available
- FloorPort[™] Activation Covers available
- Choice of conduit sizes, even feed through capability, saving time and installation costs



RFB4E[™] SERIES

- 4 gangs of capacity
- Available in steel, shallow steel and lightweight epoxy coated slab-on-grade versions
- Accepts proprietary 2" trade size conduit feed (2HUB)
- Accepts Evolution[™] Series Poke-Thru Covers
- Available for polished concrete, terrazzo, carpet and tile floors

1