STEEL RACEWAY

2000 SERIES® RACEWAY




Two-piece, single-channel raceway. Easy-to-install and ideal for basic power or communication/low voltage installations

CODE REFERENCE

cULus Listed Raceway: File E4376 Guide RJBT.

Fittings:

File E41751 Guide RJPR. Meets Article 386 of NEC. Meets Section 12-1600 of CEC.



KEY

- A. 500 Series Raceway
- B. 518 External Elbow Fitting
- C. 2006 Cover Clip
- D. 2010A3 Entrance End Fitting
- E. 2010A2 Entrance End Fitting
- F. 2010B Blank End Fitting
- G. 2051H Flush Plate Adapter
- H. 2011 90° Flat Elbow Fitting
- I. 2015 Tee Fitting
- J. 2017TC Internal Corner Coupling
- K. 2018C External Elbow Cover
- L. 2048 Single-Gang Device Box
- M. 2048-2 Two-Gang Device Box
- N. 20GB506 Plugmold Strip
- 0. 2089A Flush Plate Adapter
- P. 2089E End-Reducing Connector
- **Q.** 5748 Single-Gang Device Box

COLOR OPTIONS



2000® Series Raceway Part Numbers with a "V" prefix have an ivory finish. Part Numbers with a "G" prefix have a gray finish. Part Numbers without a prefix or suffix have a protective zinc finish.

Custom color options are also available. Consult the factory for more information.

2000 SERIES® RACEWAY

2000 Series Raceway Interconnectivity Fittings

CONNECTION REQUIRED		USE CATALOG
FROM	TO	NUMBER
500 Series Raceway	Side of 2000 Series Raceway	V2089, V2048, V2048-2
500 Series Raceway	End of 2000 Series Raceway	V2089E, V2048, V2048-2
Existing Outlet	2000 Series Raceway	V2051H
1/2" trade size Conduit or Armored Cable	2000 Series Raceway	V2010A2, V2010A3

Blank End Fitting




PART NUMBERS: **V2010B** (Ivory) **G2010B** (Gray)

Closes off the open end of 2000 Series Raceway.

2000 Series Raceway Ordering Information (continued)


Cover Clip



PART NUMBERS: V2006 (Ivory) G2006 (Gray)

Covers seam where two lengths of 2000 Series Raceway come together.


Flat Elbow Fitting



PART NUMBERS: **V2011** (Ivory) **G2011** (Gray)

For right angle turns on same surface. Cover stop permits neat butting of 2000C Cover. Two couplings included.


2009 Ground Clamp



Connects equipment grounding conductor. Provides an additional ground for raceway.




Tee Fitting



PART NUMBERS: **V2015** (Ivorv) G2015 (Gray)

For branching raceway at right angles. Three couplings included.


Entrance End Fitting



PART NUMBERS: V2010A2 (Ivory) **G2010A2** (Gray)

Connects 2000 Series Raceway to 1/2" trade size conduit or armored cable connectors. 1/2" trade size KOs located on end, sides, and bottom of fitting. Includes ground screw. If more capacity is required, use 2010A3.

2017TC Internal Corner Coupling



Can be used as inside corner coupling or as coupling and straight thru fitting. Furnished with one fiber bushing.



2000B 2017TC used as a corner coupling and a straight-


through fitting.

External Elbow Cover



PART NUMBERS: V2010A3 (Ivory) **G2010A3** (Gray)

1/2" trade size KOs located on end, sides, and bottom of fitting. 3/4" KOs on bottom and rear. Includes ground screw.



PART NUMBERS: V2018C (Ivory) G2018C (Gray)

Covers gap when external corner is made by notching and bending 2000B Base. Continues raceway runs around outside corners.

Corner gap filler snapped into place in 2018C

PLUGMOLD SYSTEMS

PLUGMOLD® 2000 SERIES™



Two-piece, low profile multiple outlet raceway. Low profile requires minimal space.

CODE REFERENCE

cULus Listed Base & Blank Cover:

File E4376 Guide RJBT.

Multi-Outlet Assemblies:

File E15191 Guide PVGT.

Fittings:

File E41751 Guide RJPR.

Base & Blank Cover& Plugmold Series with Snapicoil Harness:

Meets Article 386 of NEC. Meets Section 12-3032 of CEC.

Plugmold Wired Sections:

Meets Article 380 of NEC. Meets Section 12-3032 of CEC.

Plugmold 2000 Series System Layout

NOTE: Illustration is for showing product applications only.

KEY


- A. V2010B Blank End Fitting
- B. V2051H Flush Plate Adapter
- C. V2006 Cover Clip
- D. 2017TC Internal Corner Coupling
- E. V2015 Tee Fitting
- F. V2048-2 Two-Gang Device Box
- G. V2018C Extern Elbow Cover
- H. V2048 Single-Gang Device Box
- I. V2011 90° Flat Elbow
- J. V20GB506 Plugmold Strip
- K. V2089 Side-Reducing Fitting
- L. V5748 Single-Gang Device Box
- M. V500 500 Series Raceway
- N. V2010A2 Entrance End Fitting
- 0. V2010A3 Entrance End Fitting
- P. V518 External Elbow
- Q. V2089E End-Reducing Connector

COLOR OPTIONS











PLUGMOLD® 2000 SERIES™

Plugmold 2000 Series Ordering Information (continued)

2009 Ground Clamp (Galvanzied)




Connects equipment grounding conductor to provide an additional ground to raceway.



How 2009 is used.


Tee



PART NUMBERS: V2015 (Ivory) WH2015 (White) G2015 (Gray) BK2015 (Black)

Branches raceway at right angles. Couplings furnished.


Entrance End Fitting



PART NUMBERS: V2010A3 (Ivory) WH2010A3 (White) G2010A3 (Gray) BK2010A3 (Black)

Offers larger capacity than V2010A2. 1/2" trade size KOs on end, each side and bottom. 3/4" trade size KOs on bottom and rear. Includes ground screw.

2017TC Internal Corner Coupling



Furnished with one fiber bushing.




2000B

1. 2017TC used as a corner coupling.


2. 2017TC used as a corner coupling and a straightthrough fitting.

2010A2 Entrance End Fitting



Connects 2000 Series Raceway with 1/2" trade size conduit and armored cable connectors. 1/2" trade size KOs on end, each side and bottom. Includes ground screw.

External Elbow Cover



Corner Gap Filler snapped into place in 2018C. PART NUMBERS: V2018C (Ivory) WH2018C (White) G2018C (Gray) BK2018C (Black) S2018C (Stainless Steel)

Continues raceway runs around outside corner. Fills the gap when external corner is made by notching and bending the 2000 Base.


Blank End



PART NUMBERS: V2010B (Ivory) WH22010B (White) G2010B (Gray) BK2010B (Black) S2010B (Stainless Steel)

Closes off open end of 2000 Series Raceway.


Single-Gang Device Box



PART NUMBERS: V2048 (Ivory) WH2048 (White) G2048 (Gray) BK2048 (Black) S2048 (Stainless Steel)

Cover has twistouts for 2000, 500 and 700 Series Raceways. Base has 1/2" trade size KO and rectangular KO for extension to wall box. Base has No. 10 threaded hole for ground connection.

90° Flat Elbow




PART NUMBERS: V2011 (Ivory) WH2011 (White) G2011 (Gray) BK2011 (Black) S2011 (Stainless Steel)

Right angle turns on same surface. Cover stop permits neat butting of 2000C Cover. Two couplings furnished.

PLUGMOLD® 2000TR SERIES™


Steel Plugmold 2000TR Series Ordering Information (continued)

2001 Coupling



Joins lengths of Plugmold 2000TR Series together.

V2051H Back Feed Fitting



Feeds Plugmold 2000TR Series from an existing outlet box. Equipped with 1/2" trade size male bushing and lock nut washer for grounding.


2009 Ground Clamp



Connects equipment grounding conductor to Plugmold 2000TR Series.



Entrance End Fitting



PART NUMBERS: V2010A2 (Ivory) WH2010A2 (White) G2010A2 (Gray) BK2010A2 (Black) S2010A2 (Stainless Steel)

Connects Plugmold 2000TR Series with 1/2" trade size conduit and armored cable connectors. 1/2" trade size KOs on end, each side and bottom. Includes ground screw.


Blank End Fitting



PART NUMBERS: V2010B (Ivory) WH2010B (White) G2010B (Gray) BK2010B (Black) S2010B (Stainless Steel)

Closes off open end of sections of Plugmold 2000TR Series.

Entrance End Fitting



PART NUMBERS: V2040B (Ivory) WH2040B (White) G2040B (Gray) BK2040B (Black) S2040B (Stainless Steel)

One-gang device box. Cover has one twistout for 2000 Series Plugmold on two sides and one twistout for 500° and 700° Series Raceway on the top and bottom. Base includes knockout to enable extension from existing single-gang flush wall box and 1/2" trade size KOs. Accepts industry standard faceplates for electrical and communication devices.